PART III - LIST OF DOCUMENTS, EXHIBITS, AND OTHER ATTACHMENTS SECTION J – LIST OF ATTACHMENTS

ATTACHMENT J-17: CH-TRU WASTE STREAM QUANTITIES AND DETAILS

The following waste streams are applicable to this Contract:

1. Above Ground Drums Remediation

ABOVE GROUND CH-TRU WASTE INVENTORY

Description	Volume	MAR (PE-Ci)	Count
Sludge Drums	90	380	317
Debris Drums	106	3,154	382
Drums with Cemented Monoliths	86	7,028	349
Drums with Cemented Cans	240	14,549	759
Drums with Inorganics	2	141	11
10-100 MLLW	396	200	1,269
SWBs	346	3,242	303
Fiberglass-Reinforced Plywood/Crates/Metal Boxes	8	1	1
"Bolas Grandes" Spheres	40	96	33
Off-site Source Recovery Program Pipe-Overpack Containers	9	503	43
Other Containers	12	324	51
Totals	1,335	29,618	3,518

2. Overview of Below Ground CH-TRU Wastes Categories

	TABLE 1 Overview of Below-Ground CH-TRU Waste Categories											
Category	General Description	Approximate Volume (m³)	Percenta ge Total Volume	Approximate MAR (PS-01)	Percentag e Total MAR							
Trenches A-D	Approx. 710 30-gal. drums split between 4 trenches	80.6	3.7%	93,866	84.5%							
Pit 9	Approx. 3,882 55-gal., 30- gal. and 85-gal. drums, 191 fiberglass-reinforced plywood boxes, and 6 other containers	1,586	73.0%	6,377	5.7%							
Corrugated Metal Pipes (CMPs) above Pit 29	158 CMP, each ~ 30 in. diameter x 20 ft. long	439	20.2%	10,778	9.7%							
Hot Cell Liners (RH Waste)	5 Shafts with glovebox liners from hot cells, each in a steel box 6 ft. x 6 ft. x 10 ft. long (Shafts 302-306)	51	2.8%	0.6	0.001							
Tritium Packages	4 tritium packages, each containing 3 55-gal. drums, and one tritium tank that is 20 ft. long (Shafts 262-266)	6.7	0.3	8	0.01							
Total		2,163	100%	111,030	100%							

3. Trenches A-D details are in accordance with "*Trenches A-D Category of Transuranic Waste Stored Below Ground within Area G*," EP2013-5179, LA-UR-13-29513, November 2013.

TABLE 3
Results of Visual Examination of PU-238 Waste Packaged in 1974, 1980, and 1983

	1974 Pu-2	38 Drums		1980 Pu-	-238 Drums		1983 Pu-2	
Drum	Package	Waste Form	Dru	Packaging	Waste Form	Dru	Packaging	Waste Form
No.	Description	Description	m	Descriptio	Description	m	Description	Description
DED	Established a	Daniel Callet accell	NO.	n Davids	Davida II. davisa ad	No.		A1000 ''-
BFB 234	Four plastic begged metal containers	Bag-out full of small sealed cans. Cans of wet material that breached can and involved two other cans. This was Pu- 238 materials of pH3.	BFB B12	Double- plastic bagged metal can. Zones where rust penetrated can creating	Partially burned cheesecloth and filter paper in can. Second plastic bag contained rags, cheesecloth, drill bits, wrenches, paper, broken glass, gloves.	92	Ice-cream carton within a metal can. Carton in a plastic bag- out bag.	Al2O3 inside one ice cream carton. Others contained cheesecloth, lead- wrapped vials, graphite solids
BFB23 5	A leverpak inside of drum	28 crushed rusty cans. 26 crushed one-gallon cans. Al foil. Two 2"pipe nipples, capped on both ends. One-gallon filled with empty cans.	BFB 14	pinholes Double plastic bagged trash from room cleanup.	Empty alcohol bottle, HF bottle, gloves, rags, cheesecloth.	BFB 96	A bucket and 3 metal containers, all in plastic bags.	Lead lined gloves, cheesecloth, plastic bag-out bags.
BFB23 7	Plastic- wrapped leverpak inside drum	Rusty vises, sieves, pipe, rods, hammers, screw-drivers, cans, hand tools, garden hose	BFB 19	Bagged metal cans.	Inside can, bagged metal can containing alundum. 2nd can gaskets, 3rd can,, hot press dies, 4th can, glassware & some red dust.	BFB 97	Metal containers holding bag- out metal containers.	Ziploc containers, Al foil, rusty cans. Deteriorated cheesecloth, hacksaw blade, small pressure vessel, paint brushes, pliers inside bagged-out cans.
BFB23 8	Leverpak inside a plastic bag- out	10 rusty containers,5 pressure vessels, stainless door frame and gasket, empty plastic bag-out stubs, 8 transfer cans, misc. pices of rusty metal	BFB 20	Plastic bags in 30 gal drum	two bag-out bags, each filled with plastic sleeves	BFB 101	metal cans holding inner bagged-out metal cans	Plastic Ziploc sample vials, gaskets, cheesecloth, sand paper.
BFB23 9	Plastic- wrapped metal cans with a variety of wastes.	Plastics, metals, glass tubes, glass bottles, broken glass, metal tools	BFB 26	Plastic gagged trash.	Empty nitric acid and HF bottle. Al foil, gloves, plastics, empty gallon jar, and cheesecloth.	BFB 102	Double plastic wrapped metal cans with bagged-out metal cans	Punctured WD-40 can, another empty metal can, cheesecloth, pieces of metal, crushed Al foil.
BFB 240	Double bagged leverpak with approx. 150 ml water between bags. Leverpak saturated	die, desiccator, empty glass containers, power hose for furnace, rusty cans and metal objects.	BFB 27	A single plastic bag of waste	A single plastic bag of paper, surgeon's gloves, cheesecloth, plastic.	BFB 103	Double- plastic wrapped metal containers.	Bagged-out cans with vials, glass jars, cheesecloth, Ziploc bags.

TABLE 4
Summary of Radiological Characteristics of Waste in Trenches A-D

	Number of waste	Number of Casks with	Range , PE- Ci per Cask	Number of Waste	Range PE- Ci per	Total PE-Ci	Range, Pu- 239 FGE per	Total Pu-	Range, R Do	
	packages	Waste Drums		Drums	Drum		Cask	239 FGE	Contact	1 m
Trench A	125	120	3 to 1,183	240	2 to 608	32,500	<0.1 to 9	215	1 to 19	0 to 10
Trench B	104	99	<1 to 1,247	197	<1 to 622	29,678	0.1 to ≥ 200	4,178	1 to 250*	1 to 20
Trench C	200	101**	28 to 955	200	10 to 526	26,872	0.5 to 64	628	1 to 150	0 to 11
Trench D	73	37	17 to 313	73	8 to 474	4,815	0.4 to 8	78	1 to 40	0to 5
Total Trenche s A-D	502	357	<1 to 1,247	710	<1 to 622	93,866	<0.1 to ≥200	5,099	1 to 150	1 to 11

^{*} In Trench B, contact dose available only for packages with U-233 waste

^{**} Both Disposal Log Book and RSWD forms show Cask 54 I Trench C filled with drums two times

4. Pit 9 Waste details are in accordance with "Pit 9 Category of Transuranic Waste Stored Below Ground within Area G," EP2013-5180, LA-UR-14-20119, December 2013.

TABLE 2 Waste Content and Types of Containers in Pit 9

	Waste Content and Types of Containers in Pit 9											
Container Type	Waste Code	Waste Material Description	Number of Container s	Gross Weight (lbs/containe r)	Total Volum e (m³)							
		TRU Waste										
	A10	Graphite	1	155	0.2							
	A15	Mixed Cellulosics	219	49-71	45.6							
	A16	Plastic Materials	19	80-156	4.0							
	A18	Mixed Paper, Plastic, Rubber, etc.	132	85-187	27.4							
	A19	Mixed Combustible / Non- Combustible Trash	68	75-185	14.1							
	A20	Hydrocarbon Oils	8	265-450	1.7							
	A21	Silicon Based Oils	3	501	0.6							
	A25	Leached Process Residues	216	33-448	44.9							
	A30	PN* Equipment	182	39-415	37.9							
	A31	Non-PN Equipment	1	172	0.2							
55-Gallon	A50	Metal Crucibles, Scrap, Dies	133	0-263	27.7							
Steel Drum	A52	Scrap Metals	23	110-298	4.8							
	A55	Filter Media	6	399	1.2							
	A56	Filter Media Residues	3	90-112	0.6							
	A60	Other Combustibles	863	55-386	179.5							
	A61	Other Non-Combustibles	987	51-416	205.3							
	A70	Chemical Waste	4	113-154	8.0							
	A75	Chemical Treatment Sludge	300	260-898	62.4							
	A76	Cement Paste	133	350-706	27.7							
	A90	Contaminated Soil	46	150-450	9.6							
	A95	Glass	11	77-185	2.3							
	A99	Unidentified Material	5	97-122	1.0							
To	tal 55-Gallo	n Steel Drums	3,363		700 ¹							
	A15	Mixed Cellulosics	127	23-135	12.8							
	A16	Plastic Materials	8	60-108	1.0							
	A18	Mixed Paper, Plastic, Rubber, etc.	10	44-143	1.1							
30-Gallon	A19	Mixed Combustible / Non- Combustible Trash	38	48-119	4.3							
Drum	A21	Silicon Based Oils	1	273	0.1							
	A25	Leached Process Residues	232	31-612	25.9							
	A30	PN Equipment	10	67-164	1.0							
* DN Proporty	A46	Skull and Oxide	1	105	0.1							

^{*} PN – Properly Numbered

1 Number is different than source 699.5. Source was incorrect.

	V	TABLE 2, continu Vaste Content and Types of Co		it 9	
Container Type	Waste Code	Waste Material Description	Number of Container s	Gross Weight (lbs/containe r)	Total Volum e (m³)
		TRU Waste, continu	ied		
	A50	Metal Crucibles, Scrap, Dies	45	42-248	4.5
	A52	Scrap Metals	1	54	0.1
	A55	Filter Media	1	47	0.1
	A60	Other Combustibles	2	70-74	0.2
30-Gallon Drum, continued	A61	Other Non-Combustibles	33	52-124	3.8
Diam, continued	A70	Chemical Waste	2	105-114	0.2
	A76	Cement Paste	133	350-706	15.0
	A95	Glass	2	50-117	0.2
	A99	Unidentified Material	2	85-86	0.2
To	otal 30-Ga	llon Steel Drums	517		56.0
85-Gallon Steel Drum	A60	Other Combustibles	2	86-162	0.6
To	otal 85-Ga	llon Steel Drums	2		0.6
0.1. 0.1. 0	A30	PN Equipment	3	2000	5.4
Other (XLG Drum)	A31	Non-PN Equipment	2	2000	2.4
Diuiii)	A36	Non-Combustible Building debris	1	4001	2.1
Total	Other Co		6		9.9
	A19	Mixed Combustible / Non- Combustible Trash	4	403-600	13.6
	A30	PN Equipment	42	88-4001	142.7
FRP Boxes	A31	Non-PN Equipment	112	500-5,401	515.1
(Crates)	A36	Non-Combustible Building debris	1	1965	15.9
	A55	Filter Media	25	673-684	85.6
	A90	Contaminated Soil	6	2000-4001	19.0
	A99	Unidentified Material	1	732	3.6
Total	FRP Boxe	es	191		795.4
Total TRU Was	te Contair	ners	4,079		1,581.4
		Low-Level Waste	•		
One-Gallon Can		Cell 13 trash cans 1892-1858	1	Not Available	0.0076
Unknown Item		No Description	1		1.4
Box		Two Section Glovebox	1	Not Available	3.4
Total	Low-Leve	l Waste Containers	3		4.8
Total All Conta	iners		4,083		1,586.2 ²

Total All Containers

Number is different than source 1,588.5. Source was incorrect.

	TABLE 3 Summary of Radiological Characteristics of Waste in Pit 9											
Type of Container	Number of Containers	Average* PE-CI per Container (Range)	Number of Containers ≥ 80 PE-CI	Total PE-CI	Average* Pu-239 FGE per Container (Range)	Number of Containers ≥ 200 Pu-239 FGE	Total Pu-239 FGE	Average* Radiation Dose at Contact, mR/hr (Range)				
30-Gal Drum	517	1.6 (0 - 13.4)	0	644.7	12.6 (0 – 147.8)	0	6,839.7	3.7 (0 – 100)				
55-Gal Drum	3,363	2.1 (0 – 137.7)	1	5,292.1	2.1 (0 - >200)	3	27,757.0	3.1 (0 – 250)				
85-Gal Drum	2	2.6 (00.3 – 5.2)	0	5.2	18.1 (0.3 – 36.9)	0	36.2	3.6 (0 – 7)				
Other (XLG Drum)	6	0 (0 – 0)	0	0	0 (0 – 0)	0	0	(0 – 0)				
FRP Box	191	6.1 (0 – 234.1)	2	435.4	12.6 (0 - >200)	1	910.6	29.6 (0 – 70)				
TOTALS, PIT 9	4,079	2.1 (0 – 234.1)	3	6,377.40	2.1 (0 - >200)	4	35,543.50*	3.2 (0 - 250)				

^{*}Average of containers with values above zero

5. Corrugated Metal Pipes (CMP) details are in accordance with "CMP Category of Transuranic Waste Stored Below Ground within Area G," EP2013-5171, LA-UR-13-26921, August 2013.

Package ID	Original GMP ID Number	Total Curies	Am-241 (Curles)	Pu-238 (Curies)	Pu-239 (Curies	PE-Ci	Fissile Grams	Dose at
STATISTICS SHEET	* North State of Stat		THE RESIDENCE	Medical Control	HERESTA			(mR/hr
S863429	1150	11.12	10.16	0.06	0.90	11.31	14.33	3
5863430	1151	11.12	10.16	0.06	0.90	11.31	14.33	1
5863431	1157	10.82	10.51	0.05	0.26	11.02	4.14	2
5863432	1158	10.82	10.51	0.05	0.26	11.02	4.14	3
5863433	1159	10.82	10.51	0.05	0.26	11.02	4.14	0
5863434	1152	20.35	19.54	0.04	0.77	20.73	12.31	1
5863435	1153	33.51	32.70	0.04	0.77	34.15	12.38	1
5863436	1154	14.51	13.70	0.04	0.77	14.78	12.27	1
5863437	1155	14.51	13.70	0.04	0.77	14.78	12.27	2
S863438	1156	14.50	13.70	0.04	0.75	14.76	12.07	2
5863439	1163	10.31	9.82	0.04	0.45	10.50	7.22	2
S863440	1164	10.31	9.82	0.04	0.45	10.50	7.22	3
5863441	1165	10.31	9.82	0.04	0.45	10.50	7.22	3
5863442	1169	12.07	11.21	0.11	0.75	12.28	12.06	1
5863443	1173	16.68	16.10	0.06	0.52	16.99	8.37	1
5863444	1174	16.68	16.10	0.06	0.52	16.99	8.37	1
5863445	1160	10.82	10.51	0.05	0.26	11.02	4.14	1
S863446	1161	10.82	10.51	0.05	0.26	11.02	4.14	3
\$863447	1162	10.82	10.51	0.05	0.26	11.02	4.14	2
5863448	1166	12.07	11.21	0.11	0.75	12.28	12.06	1
5863449	1167	12.07	11.21	0.11	0.75	12.28	12.06	1
5863450	1168	12.07	11.21	0.11	0.75	12.28	12.06	1
5863451	1170	12.07	11.21	0.11	0.75	12.28	12.06	1
5863452	1171	12.07	11.21	0.11	0.75	12.28	12.06	4
5863453	1175	16.68	16.10	0.06	0.52	16.99	8.37	2
5863454	1178	11.81	11.45	0.33	0.02	12.00	0.42	1
5863455	1177	11.81	11.45	0.33	0.02	12.00	0.42	1
\$863456	1176	11.81	11.45	0.33	0.02	12.00	0.42	1
5863457	1179	10.36	10.03	0.03	0.30	10.56	4.81	3
5863458	1180	10.36	10.03	0.03	0.30	10.56	4.81	3
5863459	1181	10.36	10.03	0.03	0.30	10.56	4.81	4
5863460	1182	10.36	10.03	0.03	0.30	10.56	4.81	4
5863461	1183	10.36	10.03	0.03	0.30	10.56	4.81	3
5863462	1184	10.36	10.03	0.03	0.30	10.56	4.81	3
5863463	1185	10.36	10.03	0.03	0.30	10.56	4.81	3
5863464	1187	17.37	16.97	0.05	0.36	17.70	5.76	4
5863465	1188	17.37	16.97	0.05	0.36	17.70	5.76	4
5863466	1186	17.37	16.97	0.05	0.36	17.70	5.76	3
5863467	1172	16.68	16.10	0.06	0.52	16.99	8.37	1
5863468	1198	13.45	11.80	0.98	0.67	13.58	10.77	7
5863469	1189	23.12	22.21	0.36	0.55			
5863470	1190	23.12	22.21	0.36	0.55	23.51	8.82	3
5863471	1191	23.12	22.21			23.51	8.82	2
5863472	1192	23.12		0.36	0.55	23.51	8.82	12
27/1-C	4436	23.12	22.21	0.36 0.36	0.55 0.55	23.51	8.82	4

Package ID	Original CMP ID Number	Total Gurles	Am-241 (Curies)	Pu-238 (Curies)	Pu-239 (Curies	PE-CI	Fissile Grams	Dose at Surface (mR/hr)
	The state of the s	22.42	22.24	026	0.55	23.51	8.82	4
S863474	1194	23.12	22.21	0.36	0.53	13.58	10.77	7
5863475	1195	13.45	11.80		0.67	13.58	10.77	7
S863476	1196	13.45	11.80	0.98	0.67	13.58	10.77	7
5863477	1197	13.45	11.80	-	0.67	13.58	10.77	7
5863478	1199	13.45	11.80	0.98	0.67	13.58	10.77	1
S863479	1200	13.45	11.80	0.98	0.67	13.58	10.77	1
5863480	1201	13.45	11.80	0.98	0.67	13.58	10.77	4
5863481	1202	13.45	11.80	0.98	0.67	13.58	10.77	1
5863482	1203	13.45	11.80		0.39	9.69	405.50	12
5863483	1207	9.53	9.02	0.11	0.39	9.69	405.50	1
5863484	1205	9.53	9.02	0.11	0.39	9.69	405.50	1
5863485	1204	9.53	9.02	0.11	0.39	9.69	405.50	1
S863486	1206	9.53	9.02	0.11	0.04	39.33	0.89	2
5863487	1210	38.57	38.52	0.01	0.04	39.33	0.89	7
S863488	1209	38.57	38.52 38.52	0.01	0.04	39.33	0.89	12
5863489	1208	38.57		0.03	0.18	70.62	3.27	2
S863490	1211	69.28	69.05 69.05	0.03	0.18	70.62	3.27	12
5863491		69.28 69.28		0.03	0.18	70.62	3.27	12
5863492	1213	-	69.05 69.05	0.03	0.18	70.62	3.27	12
5863493	1214	69.28		0.45	0.20	163.74	7.90	20
5863494	1257	160.65	160.00	0.45	0.20	163.74	4.04	30
5863495	1258	160.65	160.00	0.45	0.20	163.74	4.04	30
S863496	1259 1254	160.65	160.00	0.45	0.20	163.74	4.04	20
5863497		160.65	160.00	0.45	0.20	163.74	4.04	20
5863498	1255	160.65	160.00	0.43	0.36	137.35	6.59	23
5863499	1245	134.73	134.30	0.07	0.36	137.35	6.59	20
5863500	-	134.73	134.30	0.07	0.36	137.35	6.59	20
5863501	1247	134.73	The second secon	0.07	0.36	137.35	6.59	25
5863502		134.73	134.30 134.30	0.07	0.66	137.65	11.36	20
S863503		135.03		0.29	0.10	95.38	2.01	18
5863504		93.58	93.20	0.29	0.10	95.38	2.01	20
5863505		93.58		0.29	0.10	95.38	2.01	25
5863506		93.58	93.20	0.29	0.10	95.38	2.01	20
5863507	-	93.58	93.20	0.45	0.20	163.74	4.04	20
5863508		160.65	160.00	0.43	0.32	190.26	115.40	23
5863509		186.63	186.10	0.21	0.32	190.26	115.40	25
5863510		186.63	186.10		0.32	190.26	115.40	4
S863511		186.63	186.10	0.21	0.36	137.35	6.59	35
S863512		134.73	134.30		0.20	88,23	3.65	15
S863513		86.55	86.30	0.05	0.20	88.23	3.65	12
S863514	_	86.55	86.30	0.05	0.20	88.23	3.65	26
5863515		86.55	86.30	0.05	0.44	99.28	265.36	20
5863516	-	97.40	96.75	0.21	0.44	99.28	265.36	18
S863517 S863518		97.40	96.75	0.21	0.44	99.28	265.36	26

Package ID	Original CMP	Total Curies	Am-241 (Curies)	Pu-288 (Curies)	Pu-239 (Curies	PE-Ci	Fissile Grams	Dose at Surface
Number	ID Number		and the standard property of the property of the party of	A Constant and the last of the last of the				(mR/hr)
S863519	1238	97.40	96.75	0.21	0.44	99.28	265.36	20
S863520	1242	134.73	134.30	0.07	0.36	137.35	6.59	35
5863521	1243	134.73	134.30	0.07	0.36	137.35	6.59	23
5863522	1244	134.73	134.30	0.07	0.36	137.35	6.59	35
S863523	1225	72.48	72.00	0.17	0.30	73.87	177.80	4
S863524	1226	72.48	72.00	0.17	0.30	73.87	177.80	4
5863525	1227	72.48	72.00	0.17	0.30	73.87	177.80	10
5863526	1228	72.48	72.00	0.17	0.30	73.87	177.80	10
5863527	1229	72.48	72.00	0.17	0.30	73.87	177.80	10
5863528	1230	72.48	72.00	0.17	0.30	73.87	177.80	12
S863529	1217	69.99	69.75	0.02	0.22	71.36	518.28	15
S863530	1216	69.99	69.75	0.02	0.22	71.36	518.28	15
5863531	1215	69.99	69.75	0.02	0.22	71.36	518.28	10
S863532	1222	72.48	72.00	0.17	0.30	73.87	177.80	26
5863533	1223	72.48	72.00	0.17	0.30	73.87	177.80	15
S863534	1218	36.12	36.09	0.01	0.02	36.82	13.38	12
5863535	1219	36.12	36.09	0.01	0.02	36.82	13.38	10
S863536	1220	36.12	36.09	0.01	0.02	36.82	13.38	10
5863537	1221	72.48	72.00	0.17	0.30	73.87	177.80	15
S863538	1224	72.48	72.00	0.17	0.30	73.87	177.80	15
5863539	1262	175.37	174.30	0.64	0.42	178.72	7.64	25
5863540	1263	175.37	174.30	0.64	0.42	178.72	7.64	25
5863541	1264	175.37	174.30	0.64	0.42	178.72	7.64	25
S863542	1265	175.37	174.30	0.64	0.42	178.72	7.64	25
5863543	1266	175.37	174.30	0.64	0.42	178.72	7.64	25
5863544	1260	175.37	174.30	0.64	0.42	178.72	8.29	20
5863545	1261	175.37	174.30	0.64	0.42	178.72	7.64	25
5863546	3305	35.51	35.35	0.12	0.03	36.18	0.63	4
S863547	3306	35.51	35.35	0.12	0.03	36.18	0.63	5
5863548	Child Col. Train to be divisible for exemply provided to	35.51	35.35	0.12	0.03	36.18	0.63	4
S863549		35.51	35.35	0.12	0.03	36.18	0.63	5
5863550	design and the second section of the second	98.41	97.50	0.09	0.82	100.31	13.52	50
\$863551	to the second se	98.41	97.50	0.09	0.82	100.31	13.52	50
S863552		98.41	97.50	0.09	0.82	100.31	13.52	50
\$863553		91.37	90.96	0.21	0.20	93.13	6.90	100
S863554		91.37	90.96	0.21	0.20	93.13	6.90	100
S863555	and the same and the same of t	91.37	90.96	0.21	0.20	93.13	6.90	100
\$863556		91.37	90.96	0.21	0.20	93.13	6.90	80
5863557	London Laboratory Communication of Commu	91.37	90.96	0.21	0.20	93.13	6.90	30
S863558		91.37	90.96	0.21	0.20	93.13	6.90	40
5863559	AND THE PERSON NAMED IN	91.37	90.96	0.21	0.20	93.13	6.90	20
5863560		157.59	156.80	0.07	0.72	160.65	12.25	20
5863561		157.58	156.80	0.07	0.72	160.65	12.25	18
5863562		157.58	156.80	0.07	0.72	160.65	12.25	20
\$863563	eller en in Tableton between Dates agreemen	157.58	156.80	0.07	0.72	160.65	12.25	20

Package ID Number	Original CMP (D Number	Total Curies	Am-241 (Curies)	Pu-238 (Curies)	Pu-239 (Curies	PE-Ci	Fissile Grams	Dose at Surface (mR/hr)
5863564	1271	157.58	156.80	0.07	0.72	160.65	12.25	18
S863565	1272	157.58	156.80	0.07	0.72	160.65	12.25	30
S863566	1273	157.58	156.80	0.07	0.72	160.65	12.25	18
S863567	1274	157.58	156.80	0.07	0.72	160.65	12.25	20
S863568	1275	98.41	97.50	0.09	0.82	100.31	13.52	18
S863569	1276	98.41	97.50	0.09	0.82	100.31	13.52	20
5863570	1277	98.41	97.50	0.09	0.82	100.31	13.52	15
S863571	1278	98.41	97.50	0.09	0.82	100.31	13.52	15
S863572	1279	98.41	97.50	0.09	0.82	100.31	13.52	15
S863573	1290	37.03	36.73	0.19	0.10	37.73	9.71	50
S863574	1291	37.03	36.73	0.19	0.10	37.73	9.71	50
5863575	1292	37.03	36.73	0.19	0.10	37.73	9.71	50
S863576	1293	37.03	36.73	0.19	0.10	37.73	9.71	30
S863577	1294	37.03	36.73	0.19	0.10	37.73	9.71	80
S863578	1295	37.03	36.73	0.19	0.10	37.73	9.71	80
S863579	1296	37.03	36.73	0.19	0.10	37.73	9.71	5
S863580	1297	35.83	35.69	0.07	0.06	36.51	1.08	5
5863581	1298	35.83	35.69	0.07	0.06	36.51	1.08	30
5863582	1299	35.83	35.69	0.07	0.06	36.51	1.08	5
5863583	3301	35.83	35.69	0.07	0.06	36.51	1.08	40
5863584	3302	35.83	35.69	0.07	0.06	36.51	1.08	40
5863585	3303	35.83	35.69	0.07	0.06	36.51	1.08	4
\$863586		35.83	35.69	0.07	0.06	36.51	1.08	5
	TALS	10,575.90	10,483.36	31.97	60.10	10,777.85	7,360.79	
	ge (Mean)	66.94	66.35	0.20	0.38	68.21	46.59	16

6. Other Retrievals Hot Cell Liners Waste Description

This waste consists of five glovebox hot cell liners from the hot cells in Wing 9 of the Chemical and Metallurgy Research (CMR) facility. Typical liners are 1.68m by 3.35m by 4.18m long weighing approximately 1135 kilograms (kg) (2500 pounds [lb]). Operations conducted within the liners consist of nondestructive and destructive examination of irradiated fuel pins composed of mixed U-Pu oxides and carbides. The hot cells were contaminated with mixed fission products as a result of research studies of high active materials. The contamination is fixed on the surfaces of the hot cell liners making the hot cell liners themselves waste. The presence of mixed U-Pu isotopes of these materials and the results of some required examinations produced high beta-gamma and alpha contamination within the liner making them remote handled (RH) waste. Information supplied by the waste generator indicates the four of the five hot cell liners may have concentrations of TRU isotopes less than 100 nCi/g and may not be properly classified as TRU waste. Ongoing analysis indicates the Hot Cell Liners are less than 100 nCi/g and therefore, should be classified as LLW or mixed LLW and does not require excavation. The Contractor shall complete this analysis and obtain a disposition decision resolution from EM-LA.

Each hot cell liner was placed into a steel box measuring 1.83m (6ft) by 1.83m (6ft) by 3.05m (10ft). The boxes containing the hot cell liners were placed in retrievable storage in shafts 302 – 306.

Since this waste could be re-characterized as LLW or mixed LLW, (less than 100 nCi/g) the Hot Cell Liners may not be required to be removed. However, should the decision be made to excavate the hot cell liners, the excavation alternative shall consider removal of the buried waste from the shafts through a combination of conventional remote excavation techniques.